

දුරකථන) 0112669192 , 0112675011
දිවැනිය) 0112698507 , 0112694033
Telephone) 0112675449 , 0112675280

ෆැක්ස්) 0112693866
ෆැක්ස්) 0112693869
Fax) 0112692913

විද්‍යුත් තැපෑල) postmaster@health.gov.lk
மின்னஞ்சல் முகவரி)
e-mail)

වෙබ් අඩවිය) www.health.gov.lk
இணையத்தளம்)
website)



සුවසිරිපාය
சுவசிரிபாய

SUWASIRIPAYA

මගේ අංකය)
எனது இல) CF/EXE/02/2016
My No.)
මගේ අංකය)
உமது இல)
Your No. :)
දිනය) 06/09/2017
திகதி)
Date)

සෞඛ්‍ය, පෝෂණ හා දේශීය වෛද්‍ය අමාත්‍යාංශය
சுகாதாரம், போஷணை மற்றும் சுதேச வைத்திய அமைச்சு
Ministry of Health, Nutrition & Indigenous Medicine

Provincial Health Secretaries,
Deputy Director General – National Hospital of Sri Lanka,
Provincial Directors of Health Services,
All Hospital Directors under the Line Ministry,
Regional Directors of Health Services,
Heads of Departments.

Departmental & Efficiency Bar Examination for
Medical Laboratory Technologists in Class II Seg. "A" / Grade II - 2016

The above examination was held on 17 & 18. 12. 2016 in terms of the General Circular letter No. 02-193/2016 dated 15.11.2016 and the results sheet of the same is attached herewith.

02. Please inform the results to the relevant officers and file a copy of the results sheet in the respective personal files and an entry should also be made in the history sheets by a staff officer to the effect that they have passed the relevant subjects.

03. If any discrepancy is observed, please bring it to my notice in writing for necessary rectification, within one month of the receipt of this letter. Any request made in this connection later will not be considered.

04. The Information is also available in web site - WWW. Health gov.lk

M. B. L. Rahuman
Deputy Director General (Admin) II
Ministry of Health, Nutrition & Indigenous Medicine,
385, Rev. Baddegama Wimalawansa Thero Mawatha,
Colombo 10.


M.B.L.Rahuman
Deputy Director General (Admin II)

For Secretary

Ministry of Health Nutrition & Indigenous Medicine

**Results Sheet of the Departmental and Efficiency Bar Examination for
Medical Laboratory Technologists in Grade II - 2016**


SE: NO	NAME	WORKING STATION	ID NUMBER	MEDIUM	INDEX	E: CODE		FR		SUBJECT RELATED		PRACTICAL		VIVA	
						MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT
1	H M C K Herath	General Hospital - Polonnaruwa	836160630v	S	M 01	62	P	51	P	52	P	48	P	40	P
2	K P J N Kumara	Base Hospi al - Andapana - Kamburupitiya	830973567v	S	M 02	72	P	55	P	43	P	40	P	41	P
3	D H A N Kumara	Base Hospi al - Kamburupitiya	840431118v	S	M 03	79	P	51	P	57	P	41	P	40	P
4	C J R Yapa	Base Hospital - Kamburupitiya	826630850v	S	M 04	67	P	55	P	41	P	42	P	44	P
5	K M D Jayarathna	General Hospital - Nawalapitiya	822673031v	S	M 05	60	P	41	P	43	P	41	P	58	P
6	H A S K Ranasinghe	Medical Research Institute - Borella	750630693v	S	M 06	57	P	42	P	51	P	41	P	53	P
7	A S K Bowala	Teaching Hospital - Peradeniya	846003851v	S	M 07	41	P	58	P	51	P	51	P	52	P
8	D M S B Abesinghe	Teaching Hospital - Peradeniya	830950150v	S	M 08	53	P	50	P	54	P	51	P	54	P
9	U W D R Kumari	Teaching Hospital - Peradeniya	847862866v	S	M 09	51	P	59	P	53	P	55	P	43	P
10	W M C I M Weerasinghe	Teaching Hospital - Peradeniya	837673259v	S	M 10	46	P	55	P	65	P	55	P	45	P
11	T D Y Herath	Teaching Hospital - Peradeniya	836730151v	S	M 11	57	P	40	P	41	P	41	P	40	P
12	L G A Kumara	Teaching Hospital - Peradeniya	840232948v	S	M 12	33	F	54	P	32	F	52	P	52	P
13	A S Gunawardhana	Medical Research Institute - Borella	848442674v	S	M 13	57	P	41	P	AB		57	P	49	P
14	A Y U Athukorala	Medical Research Institute - Borella	18383901389	S	M 14	72	P	40	P	43	P	42	P	48	P
15	R M D D K Abesinghe	Medical Research Institute - Borella	855022982v	S	M 15	AB		AB		61	P	58	P	54	P


 A.L. Basnayake
 Director (Examinations)
 06/09/2017

A. L. Basnayake
 Director (Examinations)
 Ministry of Health, Nutrition & Indigenous Medicine
 385, "Sawacinipaya"
 Colombo 10.

**Results Sheet of the Departmental and Efficiency Bar Examination for
Medical Laboratory Technologists in Grade II - 2016**

SE:NO	NAME	WORKING STATION	ID NUMBER	MEDIUM	INDEX	E:CODE		FR		SUBJECT RELATED		PRACTICAL		VIVA	
						MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT
16	V Ranasinghe	District General Hospital - Polonnaruwa	853601632v	S	M 16	63	P	47	P	53	P	62	P	57	P
17	S M D I Pathum	National STD/AIDS Control Unit - Colombo 10	855481170v	S	M 17	68	P	45	P	42	P	49	P	54	P
18	M R S Costha	National STD/AIDS Control Unit - Colombo 11	835632520v	S	M 18	65	P	31	F	AB		40	P	56	P
19	B D S Jayawardana	Teaching Hospital - Kandy	847832932v	S	M 19	55	P	63	P	44	P	49	P	63	P
20	R M L K Rajapaksha	Teaching Hospital - Kandy	198379703058	S	M 20	43	P	62	P	49	P	AB		AB	
21	R M S Rathnayake	Sirimawo Bandranayaka Memorial Chidren Hospital - Peradeniya	846913173v	S	M 21	51	P	64	P	54	P	53	P	54	P
22	P R N W Panagama	Sirimawo Bandranayaka Memorial Chidren Hospital - Peradeniya	856081060v	S	M 22	59	P	64	P	52	P	56	P	53	P
23	W P S P Kulathilaka	Sirimawo Bandranayaka Memorial Chidren Hospital - Peradeniya	836313453v	S	M 23	76	P	60	P	54	P	64	P	59	P
24	P M M Ranaweera	Sirimawo Bandranayaka Memorial Chidren Hospital - Peradeniya	856150160v	S	M 24	73	P	61	P	67	P	45	P	48	P
25	L A A N Liyanaarachchi	Sirimawo Bandranayaka Memorial Chidren Hospital - Peradeniya	822534279v	S	M 25	52	P	46	P	50	P	40	P	51	P
26	W P A Prabashini	Colombo North Teaching Hospital - Ragama	836150520v	S	M 26	64	P	40	P	41	P	57	P	53	P
27	R P I L Rajapaksha	Colombo North Teaching Hospital - Ragama	822280633v	S	M 27	61	P	33	F	42	P	45	P	45	P
28	Y P G M Madhushani	Colombo North Teaching Hospital - Ragama	857791495v	S	M 28	54	P	42	P	54	P	57	P	55	P




A.L. Basnayake
 Director (Examinations)
 0.6/09/2017

A. L. Dasunayake
 Director (Examinations)
 Ministry of Health, Department of Health Services
 385, "Sama Sathaya"
 Colombo 10.

**Results Sheet of the Departmental and Efficiency Bar Examination for
Medical Laboratory Technologists in Grade II - 2016**


SE:NO	NAME	WORKING STATION	ID NUMBER	MEDIUM	INDEX	E:CODE		FR		SUBJECT RELATED		PRACTICAL		VIVA	
						MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT
29	S Shiffana	School of MLT - Peradeniya	826603321v	T	M 29	64	P	45	P	60	P	62	P	58	P
30	C Jayasinghe	National Blood Center - Narahenpita	827680516v	E	M 30	40	P	40	P	47	P	41	P	54	P
31	H P Hettiarachchi	District General Hospital - Negambo	825681930v	S	M 31	53	P	46	P	58	P	56	P	52	P
32	A A M K Amarasinghe	National Blood Center - Narahenpita	831981555v	S	M 32	56	P	44	P	46	P	AB		AB	
33	K P N J Karunanayake	Base Hospital - Wathupitiwala	845241830v	S	M 33	59	P	40	P	54	P	47	P	55	P
34	K A R A Bandara	Base Hospital - Wathupitiwala	850970408v	S	M 34	52	P	40	P	45	P	53	P	49	P
35	L L Sirisena	Castle Street Hospital for Women - Colombo	850012857v	S	M 35	53	P	23	F	53	P	50	P	55	P
36	T A R V Fernando	Castle Street Hospital for Women - Colombo	836660501v	S	M 36	44	P	42	P	40	P	40	P	50	P
37	I S S Dayarathna	Castle Street Hospital for Women - Colombo	831014210v	S	M 37	57	P	40	P	53	P	59	P	64	P
38	W P C Sandaruwan	Colombo North Teaching Hospital - Ragama	833522566v	S	M 38	55	P	40	P	42	P	56	P	49	P
39	R G P D Jinadasa	Castle Street Hospital for Women - Colombo	746780290v	S	M 39	NA		NA		NA		47	P	51	P
40	O N D Dahnayaka	Southern Region Blood Center - Kamburugamuwa	780471239v	E	M 40	NA		NA		NA		40	P	NA	
41	C S S Dahanayake	Southern Region Blood Center - Kamburugamuwa	817582710v	E	M 41	NA		NA		NA		44	P	NA	
42	H P S Wasanthi	District Base Hospital - Negambo	197281401824	E	M 42	NA		NA		NA		NA		AB	
43	P D I P Jayasinghe	District General Hospital - Gampaha	850202559v	S	M 43	42	P	41	P	42	P	46	P	47	P


A.L. Basnayake
 Director (Examinations)
 06./09/2017

A. L. Basnayake
 Director (Examinations)
 Ministry of Health, National & Indigenous Medicine
 385, "Suwasiripaya"
 Colombo 10.

**Results Sheet of the Departmental and Efficiency Bar Examination for
Medical Laboratory Technologists in Grade II - 2016**


SE:NO	NAME	WORKING STATION	ID NUMBER	MEDIUM	INDEX	E:CODE		FR		SUBJECT RELATED		PRACTICAL		VIVA	
						MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT
44	L D Lokubandara	Colombo North Teaching Hospital - Ragama	717712234v	S	M 44	NA		45	P	NA		NA		NA	
45	N Sutharsini	Base Hospital - Thelippalai	826901942v	E	M 45	NA		NA		NA		AB		NA	
46	K D Subasinghe	Base Hospital - Galgamuwa	823283610v	S	M 46	52	P	31	F	59	P	40	P	43	P
47	K A C J Kumarapeli	National TB Referance Laboratory - Welisara	855041472v	S	M 47	56	P	40	P	41	P	47	P	49	P
48	G D M Gayani	De Soyza Women Hospital - Colombo	855102773v	E	M 48	73	P	40	P	29	F	41	P	54	P
49	I G I Kolitha	De Soyza Women Hospital - Colombo	841000749v	E	M 49	69	P	35	F	42	P	45	P	57	P
50	D M D B Gunawardana	Provincial General Hospital - Badulla	831031310v	S	M 50	AB		AB		AB		44	P	51	P
51	R R Nagodawithana	Lady Ridgway Child Hospital	841922719v	S	M 51	60	P	40	P	45	P	56	P	56	P
52	K P P K Pathirage	De Soyza Women Hospital - Colombo	833340514v	S	M 52	79	P	40	P	41	P	50	P	56	P
53	D L Iresha	Teaching Hospital - Anuradhapura	198464202110	S	M 53	36	F	27	F	41	P	42	P	46	P
54	S L Samarathunga	Teaching Hospital - Anuradhapura	827550868V	S	M 54	53	P	52	P	43	P	40	P	46	P
55	G L U Janaka	Teaching Hospital - Anuradhapura	820351355V	S	M 55	54	P	41	P	40	P	45	P	42	P
56	D M J C Dissanayake	Teaching Hospital - Anuradhapura	807350943V	S	M 56	64	P	47	P	54	P	53	P	62	P
57	A L S Perera	Teaching Hospital - Anuradhapura	833502360V	S	M 57	56	P	40	P	47	P	40	P	52	P
58	M M Ranathunga	Divisional Hospital - Medawachchiya	838592929V	S	M 58	46	P	36	F	47	P	AB		AB	


A.L. Basnayake
 Director (Examinations)
 06/09/2017

A. L. Basnayake
 Director (Examinations)
 Ministry of Health, Department of Health Services
 335, "Sri Lanka" Building,
 Colombo 10.

**Results Sheet of the Departmental and Efficiency Bar Examination for
Medical Laboratory Technologists in Grade II - 2016**

SE:NO	NAME	WORKING STATION	ID NUMBER	MEDIUM	INDEX	E:CODE		FR		SUBJECT RELATED		PRACTICAL		VIVA	
						MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT
59	D M S S Dissanayake	Divisional Hospital - Kekirawa	812531000V	S	M 59	72	P	40	P	40	P	46	P	48	P
60	H M S T Herath	District Hospital - Nochchiyagama	840312712V	S	M 60	50	P	40	P	AB		AB		AB	
61	T L I Lankika	Teaching Hospital - Karapitiya	856684261V	S	M 61	AB		AB		AB		AB		AB	
62	D L E Udayangani	Teaching Hospital - Karapitiya	836430247V	S	M 62	73	P	50	P	45	P	48	P	52	P
63	E H D S Kumari	Teaching Hospital - Karapitiya	826771542V	S	M 63	69	P	50	P	59	P	45	P	45	P
64	K G S Priyantha	Teaching Hospital - Karapitiya	821221757V	S	M 64	74	P	51	P	50	P	56	P	47	P
65	S A N S Senewirathne	Teaching Hospital - Kurunegala	836063430V	S	M 65	58	P	43	P	59	P	41	P	51	P
66	B A T L Balasooriya	Teaching Hospital - Kurunegala	846350411V	S	M 66	57	P	45	P	60	P	51	P	50	P
67	S M G D Sathkumara	Teaching Hospital - Kurunegala	856933911V	S	M 67	AB		AB		AB		AB		AB	
68	P Ramesh	Base Hospital - Dikoya	760241563V	T	M 68	55	P	57	P	49	P	47	P	58	P
69	S N Nanayakkara	General Hospital - Mathara	820760336V	S	M 69	43	P	AB		AB		42	P	AB	
70	W M P T Madushanka	General Hospital - Mathara	853122530V	S	M 70	63	P	53	P	43	P	52	P	51	P
71	H B S Sanjeewa	General Hospital - Mathara	820560850V	S	M 71	56	P	59	P	29	F	41	P	44	P
72	A G R Nalinda	General Hospital - Mathara	741532387V	S	M 72	63	P	49	P	41	P	41	P	44	P
73	A H T P Sampath	General Hospital - Mathara	852840196V	S	M 73	69	P	59	P	61	P	42	P	56	P




A.L Basnayake
 Director (Examinations)
 06./09/2017

A. L. Basnayake
 Director (Examinations)
 Ministry of Health, National Indigenous Medicine
 365, "Sawanaapaya"
 Colombo 10.

**Results Sheet of the Departmental and Efficiency Bar Examination for
Medical Laboratory Technologists in Grade II - 2016**


SE: NO	NAME	WORKING STATION	ID NUMBER	MEDIUM	INDEX	E: CODE		FR		SUBJECT RELATED		PRACTICAL		VIVA	
						MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT
74	R V R R Ranathunga	Distrcet Base Hospital - Rikillagaskada	793502338V	S	M 74	84	P	53	P	52	P	40	P	43	P
75	C S Handuwalage	Base Hospital - Kahawatta	823032668V	S	M 75	73	P	45	P	46	P	40	P	48	P
76	B B N S Wimalasiri	Base Hospital - Kahawatta	832321494V	S	M 76	63	P	35	F	41	P	40	P	47	P
77	I N Wickramarathna	Base Hospital - Kahawatta	583270302V	E	M 77	NA		NA		NA		40	P	40	P
78	J Suthakar	Teaching Hospital - Batticaloa	837111226V	T	M 78	75	P	55	P	50	P	61	P	47	P
79	K Susipavan	Teaching Hospital - Batticaloa	847642696V	T	M 79	82	P	57	P	55	P	AB		AB	
80	G Arunprasath	Teaching Hospital - Batticaloa	853540455V	T	M 80	73	P	51	P	67	P	63	P	54	P
81	K L N Prasangika	Teaching Hospital - South Colombo	808255103V	S	M 81	82	P	48	P	40	P	40	P	45	P
82	C J Ranathunga	Teaching Hospital - South Colombo	822073273V	S	M 82	41	P	AB		40	P	NA		NA	
83	K Rajini	Teaching Hospital - Jaffna	835363414V	T	M 83	62	P	43	P	54	P	58	P	52	P
84	M I M Rizvi	Base Hospital - Kalmunai North	843363725V	T	M 84	66	P	54	P	49	P	45	P	48	P
85	P H M P K De Silva	Distrcet Base Hospital - Rikillagaskada	830622667V	S	M 85	50	P	45	P	35	F	46	P	51	P
86	M H S Jayalath	Base Hospital - Gampola	752352402V	S	M 86	65	P	54	P	56	P	55	P	47	P
87	H R M Jinarajawansa	Base Hospital - Gampola	831581492V	S	M 87	65	P	59	P	43	P	61	P	56	P
88	W W M W L Wijesekara	Base Hospital - Gampola	835450392V	S	M 88	47	P	57	P	AB		52	P	50	P


A.L. Basnayake
 Director (Examinations)
 06/09/2017

A. L. Basnayake
 Director (Examinations)
 Ministry of Health, Nutrition & Indigenous Medicine
 SOS, "Sulawaraya"
 Colombo 10.

**Results Sheet of the Departmental and Efficiency Bar Examination for
Medical Laboratory Technologists in Grade II - 2016**


SE: NO	NAME	WORKING STATION	ID NUMBER	MEDIUM	INDEX	E: CODE		FR		SUBJECT RELATED		PRACTICAL		VIVA	
						MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT
89	W G T S Wijewardhana	Base Hospital - Thambutthegama	830531416V	S	M 89	67	P	50	P	56	P	53	P	55	P
90	L Sivavasan	Base Hospital - Akkareipaththu	823320515V	T	M 90	61	P	47	P	67	P	61	P	53	P
91	W K S C Chandrasiri	Distric Hospital - Uva Paranagama	852241110V	S	M 91	83	P	51	P	44	P	49	P	59	P
92	M G R R Kumara	General Hospital - Polonnaruwa	823151896V	S	M 92	47	P	42	P	NA		NA		NA	
93	R P C Priyadarshani	Base Hospital - Diyathalawa	807191837V	S	M 93	42	P	53	P	44	P	AB		AB	
94	L L C Sampath	Distric Hospital - Dikwella	840931811V	S	M 94	AB		AB		AB		AB		AB	
95	M W R Darshana	H C D - Mathara	842913624V	S	M 95	AB		AB		AB		AB		AB	
96	W D C Dassanayake	Teaching Hospital - Kandy	847282665V	S	M 96	79	P	51	P	72	P	70	P	55	P
97	J Dissanayake	Lady Ridgeway Hospital for Children - Colombo 08	822611834V	S	M 97	58	P	40	P	52	P	46	P	60	P
98	H T G Krishantha	Lady Ridgeway Hospital for Children - Colombo 08	842901413V	S	M 98	49	P	40	P	48	P	49	P	48	P
99	M A K Madhuwanthi	Base Hospital - Horana	826190515v	S	M 99	54	P	45	P	41	P	AB		AB	
100	P Ramesh	Base Hospital - Dickoya	760241563v	T	M 100	AB		AB		AB		AB		AB	
101	P M H Batagodage	General Hospital - Nuwaraeliya	835624480v	S	M 101	AB		AB		AB		AB		AB	
102	C D Bandara	General Hospital - Nuwaraeliya	852740531v	S	M 102	75	P	40	P	40	P	41	P	55	P
103	H G R Priyankara	General Hospital - Nuwaraeliya	833512501v	S	M 103	AB		AB		AB		AB		AB	


 A.L Basnayake
 Director (Examinations)
 06.109/2017

A. L. Basnayake
 Director (Examinations)
 Ministry of Health, Nutrition & Indigenous Medicine
 385, "Sawasiripaya"
 Colombo 10.

**Results Sheet of the Departmental and Efficiency Bar Examination for
Medical Laboratory Technologists in Grade II - 2016**

SE: NO	NAME	WORKING STATION	ID NUMBER	MEDIUM	INDEX	E: CODE		FR		SUBJECT RELATED		PRACTICAL		VIVA	
						MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT
104	M D Perera	General Hospital - Nuwaraeliya	827610658v	S	M 104	37	F	50	P	43	P	52	P	57	P
105	K K U H N Abhayarathne	General Hospital - Nuwaraeliya	841003837v	S	M 105	69	P	54	P	61	P	68	P	71	P
106	D L K Wickramasingha	National Cancer Hospital Maharagama	810700220v	S	M 106	55	P	40	P	56	P	61	P	53	P
107	K V C L Kumari	National Cancer Hospital Maharagama	835810550v	S	M 107	52	P	41	P	41	P	43	P	50	P
108	P S J Perera	National Cancer Hospital Maharagama	198462302087	S	M 108	54	P	40	P	AB		54	P	54	P
109	B D Perera	National Cancer Hospital Maharagama	842271070v	S	M 109	52	P	43	P	AB		42	P	53	P
110	M N M Azaam	District Hospital - Beruwala	851000356v	S	M 110	60	P	29	F	42	P	46	P	53	P
111	W H C Darshani	Government Hospital - Darga Town	825860274v	S	M 111	NA		50	P	NA		NA		NA	
112	I G I Geewanka	General Hospital - Kaluthara	833370367v	S	M 112	50	P	40	P	AB		45	P	62	P
113	G N N D Samaranayake	General Hospital - Kaluthara	812964160v	S	M 113	AB		AB		AB		52	P	49	P
114	M G M S W Weerasena	Base Hospital - Kuliypitiya	848160423v	S	M 114	69	P	21	F	AB		AB		AB	
115	W C K Rathnaweera	Base Hospital - Kuliypitiya	797863173v	S	M 115	57	P	47	P	NA		NA		NA	
116	D M N Pavithra	Provincial General Hospital - Rathnapura	835511405v	S	M 116	59	P	43	P	59	P	68	P	55	P
117	M S Gunathunga	Provincial General Hospital - Rathnapura	838553400v	S	M 117	62	P	52	P	51	P	52	P	56	P
118	A M H K I Abeykoon	Apeksha Hospital - Maharagama	198453801810	S	M 118	62	P	43	P	57	P	61	P	46	P




A.L. Basnayake
 Director (Examinations)
 06/09/2017

A. L. Basnayake
 Director (Examinations)
 Ministry of Health, Nutrition & Indigenous Medicine
 358, De Silva Road,
 Colombo 10.

**Results Sheet of the Departmental and Efficiency Bar Examination for
Medical Laboratory Technologists in Grade II - 2016**


SE:NO	NAME	WORKING STATION	ID NUMBER	MEDIUM	INDEX	E:CODE		FR		SUBJECT RELATED		PRACTICAL		VIVA	
						MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT
119	G L C S Lankathilaka	National Hospital - Sri Lanka	776280623v	S	M 119	54	P	46	P	43	P	AB		AB	
120	S L A Siraj	Ashrof Memorial Hospital - Kalmunai	780111348v	T	M 120	68	P	41	P	22	F	29	F	50	P
121	I G C H Wanasinghe	District Base Hospital - Dambulla	830930329v	S	M 121	75	P	59	P	48	P	51	P	51	P
122	W A C M Dias	District Base Hospital - Dambulla	822630960v	S	M 122	63	P	48	P	47	P	50	P	51	P
123	D S N A S Bandara	District Base Hospital - Dambulla	841860594v	S	M 123	72	P	46	P	40	P	49	P	42	P
124	P H R Priyantha	Base Hospital - Elpitiya	842871409v	S	M 124	56	P	40	P	50	P	26	F	44	P
125	S J C Piyathissa	Base Hospital - Tangalle	832121762v	S	M 125	71	P	43	P	44	P	40	P	57	P
126	L P G H Nisansala	Base Hospital - Tangalle	855052113v	S	M 126	79	P	46	P	54	P	45	P	50	P
127	K U G D M Kariyawasam	National Institute Health Science - Kaluthara	845211892v	S	M 127	55	P	43	P	65	P	53	P	61	P
128	G L L L Nanayakkara	District Hospital - Girandurukotte	845683778v	S	M 128	38	F	50	P	62	P	65	P	53	P
129	N M H H Bandara	Base Hospital - Balangoda	843472320V	S	M 129	66	P	40	P	46	P	45	P	49	P
130	H L A Dulanjalie	District General Hospital - Embilipitiya	828213563v	E	M 130	NA		NA		NA		51	P	56	P
131	C P Abeythunge	District General Hospital - Embilipitiya	755993662v	E	M 131	NA		NA		NA		39	F	56	P
132	A N L P U Abeysirinarayana	District General Hospital - Embilipitiya	83i833629v	S	M 132	71	P	48	P	47	P	54	P	50	P
133	R K S Kumara	District General Hospital - Embilipitiya	830611401v	S	M 133	48	P	40	P	46	P	45	P	50	P


A.L. Basnayake
 Director (Examinations)
 06.109/2017

A. L. Basnayake
 Director (Examinations)
 Ministry of Health, No. 1, 4, Indigunas Medicine
 305, "S. S. Kumariya"
 Colombo 10.

**Results Sheet of the Departmental and Efficiency Bar Examination for
Medical Laboratory Technologists in Grade II - 2016**

SE: NO	NAME	WORKING STATION	ID NUMBER	MEDIUM	INDEX	E: CODE		FR		SUBJECT RELATED		PRACTICAL		VIVA	
						MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT
134	H M B S Wijenayaka	General Hospital - Hambanthota	826430257v	E	M 134	NA		NA		NA		45	P	NA	
135	H M P D B Herath	District Hospital - Polpithigama	833153749v	S	M 136	47	P	42	P	49	P	64	P	53	P
136	N A S Gunasinghe	District Hospital - Hiripitiya	851490868v	S	M 137	58	P	53	P	56	P	51	P	58	P
137	B M I C Senarathna	Divisonalo Hospital - Panduwasnuwara	837782732v	S	M 138	52	P	34	F	59	P	53	P	47	P
138	A M H D Athapattu	District Hospital - Rambukkana	846422064v	S	M 139	75	P	54	P	49	P	40	P	47	P
139	B A U Jayarathna	General Hospital - Rathnapura	795744223v	E	M 140	NA		NA		NA		40	P	NA	
140	K M T H Jayarathna	District Hospital - Badalkumbura	842290708v	S	M 141	54	P	49	P	48	P	56	P	57	P
141	H W Tharanga	Base Hospital - Balapitiya	831364238v	S	M 142	AB		AB		AB		AB		AB	
142	C S Ranasinghe	Base Hospital - Balapitiya	842402697v	S	M 143	68	P	45	P	45	P	AB		AB	
143	M I M De Z Rajapakse	Base Hospital - Balapitiya	825341650v	S	M 144	65	P	46	P	44	P	50	P	48	P
144	D N K Rajarathna	Base Hospital - Karawanella	198231602286	S	M 145	66	P	56	P	AB		AB		AB	
145	R P D Priyangika	Colombo East Base Hospital - Mulleriyawa	837430011V	S	M 146	60	P	42	P	43	P	56	P	48	P
146	J L A D Madurangi	Base Hospital - Tangalle	827943541V	S	M 147	NA		NA		NA		51	P	49	P
147	K L S P Madushani	Base Hospital - Tangalle	827053902V	S	M 148	62	P	40	P	40	P	48	P	51	P
148	M P A Susantha	Base Hospital - Tangalle	812994948V	S	M 149	66	P	49	P	49	P	48	P	51	P



A.L Basnayake
 Director (Examinations)
 06../09/2017

A. L. Basnayake
 Director (Examinations)
 Ministry of Health, National Institute of
 385, "Sumasripaya"
 Colombo 10.

**Results Sheet of the Departmental and Efficiency Bar Examination for
Medical Laboratory Technologists in Grade II - 2016**

SE: NO	NAME	WORKING STATION	ID NUMBER	MEDIUM	INDEX	E: CODE		FR		SUBJECT RELATED		PRACTICAL		VIVA	
						MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT	MARKS	RESULT
149	G H A Mahindasiri	Base Hospital - Mahaoya	791264260V	S	M 150	59	P	49	P	54	P	58	P	55	P
150	H M M Ansar	Base Hospital - Nindavur	666020367V	E	M 151	NA		NA		NA		AB		NA	
151	J P S M Jayasundara	District General Hospital - Gampaha	832473111V	S	M 152	49	P	34	F	43	P	51	P	55	P
152	K A D Subhashanie	District General Hospital - Gampaha	847272783V	S	M 153	48	P	40	P	52	P	46	P	46	P
153	L A D S C Hemarathne	Base Hospital - Awissawella	816364280V	S	M 154	NA		32	F	NA		NA		NA	

AB = Absent

P = Pass

F = Fail

NA = Not Applied

Computerized By :-

C. Hapuarachchi (PMA)

1st Checking

01. T. Nalaka De Silva (PMA)

02. K. H. C. Chaturani (D/O)

2nd Checking

01. H.D.B. Chandrarathne (S/A)

02. T. Nalaka De Silva (P M A)

Confirmed by :-

A L Basnayake

Director (Examinations)

A. L. Basnayake

Director (Examinations)

Ministry of Health, Nutrition & Indigenous Medicine

385, "Suwasiripaya"

Colombo 10.

M B L Rahuman

Deputy Director General (Admin) II

For Secretary

Ministry of Health, Nutrition & Indigenous Medicine

M. B. L. Rahuman

Deputy Director General (Admin) II

Ministry of Health, Nutrition & Indigenous Medicine,

"Suwasiripaya",

385, Rev. Baddegama Wimalawansa Thero Mawatha

Colombo 10.